

Form PTO-1449  
(REV. 8-83)

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.  
GALO-007/01US

SERIAL NO.  
09/340,283

INFORMATION DISCLOSURE STATEMENT  
(Use several sheets if necessary)



APPLICANT:  
Robert O. Messing, et al.

FILING DATE  
June 25, 1999

GROUP  
1632

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE
RRS	P1 5,141,957	Aug. 25, 1992	Jiang et al.	514	510	Nov. 5, 1990
RRS	P2 5,216,014	Jun. 1, 1993	Jiang et al.	514	455	Sep. 10, 1991
RRS	P3 5,270,310	Dec. 14, 1993	Bell et al.	514	238.2	Dec. 13, 1991
RRS	P4 5,292,737	Mar. 8, 1994	Defauw	514	247	Oct. 23, 1992
RRS	P5 5,344,841	Sep. 6, 1994	Jiang et al.	514	459	Jun. 8, 1992
RRS	P6 5,360,818	Nov. 1, 1994	Jiang et al.	514	459	Aug. 24, 1993
RRS	P7 5,432,198	Jul. 11, 1995	Jagdmann, Jr.	514	544	Aug. 18, 1994
RRS	P8 5,464,764	Nov. 7, 1995	Capecchi et al.	435	172.3	Feb. 4, 1993
RRS	P9 5,783,405	Jul. 21, 1998	Mochly-Rosen et al.	435	15	Oct. 10, 1995

FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
RRS	EP WO 98/17299	Apr. 30, 1998	WO	A61K	38/00		

OTHER PUBLICATIONS (including Author, Title, Date, Pertinent Pages, Etc.)

RRS	D1	Allan et al., "Acute and Chronic Ethanol Treatments Alter GABA Receptor-Operated Chloride Channels," <u>Pharmacology Biochemistry and Behavior</u> , 27:665-670, (1987)
RRS	D2	Berra et al., "Protein Kinase C $\zeta$ Isoform Is Critical for Mitogenic Signal Transduction," <u>Cell</u> , 74:555-563, (1993)
RRS	D3	Chakravarthy et al., "The Direct Measurement of Protein Kinase C (PKC) Activity in Isolated Membranes Using a Selective Peptide Substrate," <u>Analytical Biochemistry</u> , 196:144-150, (1991)
	D4	Chakravarthy et al., "Inactive membrane protein kinase Cs: a possible target for receptor signalling," <u>Biochem. J.</u> , 304:809-816, (1994)
RRS	D5	Cooper et al., "Antagonism of the Enhanced Susceptibility to Audiogenic Seizures during Alcohol Withdrawal in the Rat by $\gamma$ -Aminobutyric Acid (GABA) and 'GABA-mimetic' Agents," <u>The Journal of Pharmacology and Experimental Therapeutics</u> , 209:396-403, (1979)
RRS	D6	Crabbe et al., "Acute Dependence on Depressant Drugs is Determined by Common Genes in Mice," <u>The Journal of Pharmacology and Experimental Therapeutics</u> , 257(2):663-667, (1991)
RRS	D7	Crabbe et al., "Elevated alcohol consumption in null mutant mice lacking 5-HT <sub>1A</sub> serotonin receptors," <u>Nature Genetics</u> , 14:98-101, (1996)
RRS	D8	Crabbe et al., "Genetic Animal Models of Alcohol and Drug Abuse," <u>Science</u> , 264(5166):1715-1723, (1994)
RRS	D9	Decock et al., "Classical, novel and atypical isoforms of PKC stimulate ANF- and TRE/AP-1-regulated-promoter activity in ventricular cardiomyocytes," <u>FEBS Letters</u> , 356:275-278, (1994)
RRS	D10	Demarest et al., "Identification of an Acute Ethanol Response Quantitative Trait Locus on Mouse Chromosome 2," <u>The Journal of Neuroscience</u> , 19(2):549-561, (1999)

EXAMINER RRS	DATE CONSIDERED 12/12/00
-----------------	-----------------------------

INFORMATION DISCLOSURE STATEMENT  
(Use several sheets if necessary)APPLICANT:  
Robert O. Messing, et al.FILING DATE  
June 25, 1999GROUP  
1632

- RRS D11 ✓ Dewey et al, "A Novel Strategy for the Treatment of Cocaine Addiction," Synapse, 80:119-129, (1998)
- RR D12 ✓ Di Chiara et al, "Drugs abused by humans preferentially increase synaptic dopamine concentration in the mesolimbic system of freely moving rats," Proc. Natl. Acad. Sci. USA, 85:5274-5278, (1988)
- RRS D13 ✓ Donzanti et al, "An improved and rapid HPLC-EC method for the isocratic separation of amino acid neurotransmitters from brain tissue and microdialysis perfusates," Life Sciences, 43:913-922, (1988)
- RR D14 ✓ Evans et al, "Establishment in culture of pluripotential cells from mouse embryos," Nature, 292:154-156, (1981)
- RRS D15 ✓ Finn et al, "Temperature Dependence of Ethanol Depression in Mice: Dose Response," Alcoholism: Clinical and Experimental Research, 18(2):382-386, (1994)
- RR D16 ✓ Frye et al, "An Evaluation of the Locomotor Stimulating Action of Ethanol in Rats and Mice," Psychopharmacology, 75:372-379, (1981)
- RRS D17 ✓ Frye et al, "Differential Sensitivity of Ethanol Withdrawal Signs in the Rat to  $\gamma$ -Aminobutyric Acid (GABA) Mimetics: Blockade of Audiogenic Seizures But Not Forelimb Tremors," The Journal of Pharmacology and Experimental Therapeutics, 226:720-725, (1983)
- RRS D18 ✓ Gamache et al, "Simultaneous measurement of monoamines, metabolites and amino acids in brain tissue and microdialysis perfusates," Journal of Chromatography, 614:213-220, (1993)
- RRS D19 ✓ Gobert et al, "Simultaneous quantification of serotonin, dopamine and noradrenaline levels in single frontal cortex dialysates of freely-moving rats reveals a complex pattern of reciprocal auto- and heteroreceptor-mediated control of release," Neuroscience, 84(2):413-429, (1998)
- RRS D20 ✓ Goodnight et al, "Selective involvement of protein kinase C isozymes in differentiation and neoplastic transformation," Advances in Cancer Research, 64:159-209, (1994)
- RRS D21 ✓ Gruber et al, "Increased Expression of Protein Kinase C<sub>q</sub> Plays a Key Role in Retinoid Acid-Induced Melanoma Differentiation," The Journal of Biological Chemistry, 267(19):13356-13360, (1992)
- RRS D22 ✓ Guidotti et al, "Gabaergic Synapses: Supramolecular Organization and Biochemical Regulation," Neuropharmacology, 22(12B):1471-1479, (1983)
- RRS D23 ✓ Harris et al, "Functional Coupling of  $\gamma$ -Aminobutyric Acid Receptors to Chloride Channels in Brain Membranes," Science, 228:1108-1110, (1985)
- RRS D24 ✓ Hauger et al, "Corticotropin-Releasing Factor Receptors and Pituitary Adrenal Responses during Immobilization Stress," Endocrinology, 123:396-405, (1988)
- RRS D25 ✓ Hesselbrock, "The Genetic Epidemiology of Alcoholism," in The Genetics of Alcoholism, 17-39, (Begleiter et al., eds., Oxford University Press, 1995)
- RRS D26 ✓ Hodge et al, "Effects of Intraaccumbens Injections of Dopamine Agonists and Antagonists on Sucrose and Sucrose-Ethanol Reinforced Responding," Pharmacology Biochemistry and Behavior, 48(1):141-150, (1994)
- RRS D27 ✓ Hodge et al, "Increased exploratory behavior and diminished anxiety in mutant mice lacking PKC $\alpha$ ," Society for Neuroscience Abstracts, 24(1-2):117, (November 1998)
- RRS D28 ✓ Homanics et al, "Alcohol and anesthetic mechanisms in genetically engineered mice," Frontiers in Bioscience, 3:548-558, (1998)

EXAMINER

RRS

DATE CONSIDERED

12/12/00

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

Page 2 of 5

INFORMATION DISCLOSURE STATEMENT  
(Use several sheets if necessary)APPLICANT:  
Robert O. Messing, et al.FILING DATE  
June 25, 1999GROUP  
1632

- Handwritten: OIP, RRS, SEP 29 2000, RRS, PATENT & TRADEMARK OFFICE*
- Handwritten: RRS*
- D29 ☒ Hundle et al., "Overexpression of  $\epsilon$ -Protein Kinase C Enhances Nerve Growth Factor-induced Phosphorylation of Mitogen-activated Protein Kinases and Neurite Outgrowth," The Journal of Biological Chemistry, 270(50):30134-30140, (1995)
- D30 ☒ Hundle et al., "An Inhibitory Fragment Derived from Protein Kinase C Prevents Enhancement of Nerve Growth Factor Responses by Ethanol and Phorbol Esters," The Journal of Biological Chemistry, 272(23):15028-15035, (1997)
- D31 ☒ Johannes et al., "PKC $\alpha$  Is a Novel, Atypical Member of the Protein Kinase C Family," The Journal of Biological Chemistry, 269(8):6140-6148, (1994)
- D32 ☒ Jolly et al., "In vivo microdialysis in the rat: low cost and low labor construction of a small diameter, removable, concentric-style microdialysis probe system," Journal of Neuroscience Methods, 68:259-267, (1996)
- D33 ☒ Kellenberger et al., "Function of the  $\alpha$ 1 $\beta$ 2 $\gamma$ 5-Aminobutyric Acid Type A Receptor Is Modulated by Protein Kinase C via Multiple Phosphorylation Sites," The Journal of Biological Chemistry, 267(36):25660-25663, (1992)
- D34 ☒ Kelley et al., "Absence of PKC $\delta$  produces changes in ethanol and GABA $_A$  agonist-induced sedation in mice," Society for Neuroscience Abstracts, 24(1-2):2166, (November 1998)
- D35 ☒ Kitano et al., "Assay and Purification of Protein Kinase C," Methods in Enzymology, 124:349-352, (1986)
- D36 ☒ Koob et al., "Neuroscience of Addiction," Neuron, 21:467-476, (1998)
- D37 ☒ Krishek et al., "Regulation of GABA $_A$  Receptor Function by Protein Kinase C Phosphorylation," Neuron, 12:1081-1095, (1994)
- D38 ☒ Kushner et al., "Gamma-vinyl GABA attenuates cocaine-induced lowering of brain stimulation reward thresholds," Psychopharmacology, 133(4):383-388, (1997) (*Abstract only*)
- D39 ☒ Lehel et al., "A Chemiluminescent Microtiter Plate Assay for Sensitive Detection of Protein Kinase Activity," Analytical Biochemistry, 244:340-346, (1997) ✓
- D40 ☒ Lin et al., "Protein Kinase C Enhances Recombinant Bovine  $\alpha$ 1 $\beta$ 1 $\gamma$ 2 GABA $_A$  Receptor Whole-Cell Currents Expressed in L929 Fibroblasts," Neuron, 13:1421-1431, (1994)
- D41 ☒ Lovinger et al., "Ethanol Inhibits NMDA-Activated Ion Current in Hippocampal Neurons," Science, 243:1721-1724, (1989)
- D42 ☒ Macfarlane et al., "Activation of  $\beta$ -Isozyme of Protein Kinase C (PKC $\beta$ ) Is Necessary and Sufficient for Phorbol Ester-induced Differentiation of HL-60 Promyelocytes," The Journal of Biological Chemistry, 269(6):4327-4331, (1994)
- D43 ☒ Marszalec et al., "Selective Effects of Alcohols on  $\gamma$ -Aminobutyric Acid A Receptor Subunits Expressed in Human Embryonic Kidney Cells," The Journal of Pharmacology and Experimental Therapeutics, 269(1):157-163, (1994)
- D44 ☒ Mehta et al., "Ethanol Potentiation of GABAergic Transmission in Cultured Spinal Cord Neurons Involves  $\gamma$ -Aminobutyric Acid-Gated Chloride Channels," The Journal of Pharmacology and Experimental Therapeutics, 246(2):558-564, (1988)
- D45 ☒ Weiner et al., "Disruption of the acyl-CoA:cholesterol acyltransferase gene in mice: Evidence suggesting multiple cholesterol esterification enzymes in mammals," Proc. Natl. Acad. Sci. USA, 93:14041-14046, (1996)
- Handwritten: RRS*

EXAMINER

RRS

DATE CONSIDERED

12/12/00

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformation and not considered. Include a copy of this form with the next communication to applicant.  
538104 v1/PA  
BJ7C01.DOC

INFORMATION DISCLOSURE STATEMENT  
(Use several sheets if necessary)

APPLICANT:  
Robert O. Messing, et al.

FILING DATE  
June 25, 1999

GROUP  
1632



- 146 Mello et al, "A Primate Model of Polydrug Abuse: Cocaine and Heroin Combinations," The Journal of Pharmacology and Experimental Therapeutics, 274(3):1325-1337, (1995)
- 147 Messing et al, "Chronic Ethanol Exposure Increases Levels of Protein Kinase C  $\delta$  and  $\epsilon$  and Protein Kinase C-mediated Phosphorylation in Cultured Neural Cells," The Journal of Biological Chemistry, 266(34):23428-23432, (1991)
- 148 Miyakawa et al, "Fyn-Kinase as a Determinant of Ethanol Sensitivity: Relation to NMDA-Receptor Function," Science, 278:698-701, (1997)
- 149 Nestler et al, "Molecular and Cellular Basis of Addiction," Science, 278(5335):58-63, (1997)
- 150 Nishizuka, "Intracellular Signaling by Hydrolysis of Phospholipids and Activation of Protein Kinase C," Science, 258(5082):607-614, (1992)
- 151 Ohmichi et al, "Nerve growth factor activates calcium-insensitive protein kinase C- $\epsilon$  in PC-12 rat pheochromocytoma cells," Biochem. J., 295:767-772, (1993)
- 152 Olive et al, "Differential behavioral and neurochemical responses to ethanol in mice lacking protein kinase C - epsilon," Alcoholism Clinical and Experimental Research, 23:21a, (1999)
- 153 Ono et al, "The Structure, Expression, and Properties of Additional Members of the Protein Kinase C Family," The Journal of Biological Chemistry, 263:6927-6932, (1988)
- 154 Pahlman et al, "Kinetics and concentration effects of TPA-induced differentiation of cultured human neuroblastoma cells," Cell Differentiation, 12:165-170, (1983)
- 155 Papadopoulos et al, "Isolation and Characterization of Protein Kinase C from Y-1 Adrenal Cell Cytoskeleton," The Journal of Cell Biology, 108:553-567, (1989)
- 156 Pennisi, "Enzyme Linked to Alcohol Sensitivity in Mice," Science, 278:573, (1997)
- 157 Poisbeau et al, "Modulation of Synaptic GABA<sub>A</sub> Receptor Function by PKA and PKC in Adult Hippocampal Neurons," The Journal of Neuroscience, 19(2):674-683, (1999)
- 158 Powell et al, "Protein kinase C isozymes  $\epsilon$  and  $\alpha$  in murine erythroleukemia cells," Proc. Natl. Acad. Sci. USA, 89:147-151, (1992)
- 159 Reich et al, "Genome-Wide Search for Genes Affecting the Risk for Alcohol Dependence," American Journal of Medical Genetics (Neuropsychiatric Genetics), 81:207-215, (1998)
- 160 Roivainen et al, "Protein kinase C and adaptation to ethanol," in Toward a Molecular Basis of Alcohol Use and Abuse, 29-37, (Jansson et al., eds., Birkhauser Verlag, 1994)
- 161 Roivainen et al, "Ethanol enhances growth factor activation of mitogen-activated protein kinases by a protein kinase C-dependent mechanism," Proc. Natl. Acad. Sci. USA, 92:1891-1895, (1995)
- 162 Roivainen et al, "Protein kinase C isozymes that mediate enhancement of neurite outgrowth by ethanol and phorbol esters in PC12 cells," Brain Research, 624:85-93, (1993)
- 163 Roth et al, "Rat Brain Protein Kinase C: Purification, Antibody Production, and Quantification in Discrete Regions of Hippocampus," Journal of Neurochemistry, 52:215-221, (1989)

EXAMINER

DATE CONSIDERED

12/12/00

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformation and not considered. Include a copy of this form with the next communication to applicant.

Page 4 of 5

INFORMATION DISCLOSURE STATEMENT  
(Use several sheets if necessary)

APPLICANT:  
Robert O. Messing, et al.

FILING DATE  
June 25, 1999

GROUP  
1632



- ✓ D64 Sanchez-Perez et al., "Increased acute responses to ethanol and enhanced sensitivity of GABA<sub>A</sub> receptors to ethanol and benzodiazepines in PKC epsilon mutant mice," Alcoholism Clinical and Experimental Research, 23:12a, (1999)
- ✓ D65 Sapp et al., "Ethanol-GABA<sub>A</sub> Receptor Interactions: A Comparison between Cell Lines and Cerebellar Purkinje Cells," The Journal of Pharmacology and Experimental Therapeutics, 284(2):768-776, (1998)
- ✓ D66 Schuckit, "Low Level of Response to Alcohol as a Predictor of Future Alcoholism," Am. J. Psychiatry, 151:184-189, (1994)
- ✓ D67 Selbie et al., "Molecular Cloning and Characterization of PKC $\delta$ , an Atypical Isoform of Protein Kinase C Derived from Insulin-secreting Cells," The Journal of Biological Chemistry, 268(32):24296-24302, (1993)
- ✓ D68 Sharpe, "Researchers Say Hoechst Drug May Be Treatment for Cocaine, Nicotine Addicts," Wall Street Journal, Aug. 5, 1998
- ✓ D69 Sigel et al., "Recombinant GABA<sub>A</sub> receptor function and ethanol," FEBS Letters, 324(2):140-142, (1993)
- ✓ D70 Slawewski et al., "Differential Changes in Sucrose/Ethanol and Sucrose Maintained Responding by Independently Altering Ethanol or Sucrose Concentration," Alcoholism: Clinical and Experimental Research, 21(2):250-260, (1997)
- ✓ D71 Stewart et al., "Expression of retroviral vectors in transgenic mice obtained by embryo infection," The EMBO Journal, 6(2):383-388, (1987)
- ✓ D72 Suen et al., "NMDA receptor subunits in the postsynaptic density of rat brain: expression and phosphorylation by endogenous protein kinases," Molecular Brain Research, 59:215-228, (1998)
- ✓ D73 Uchida et al., "Affinity Chromatography of Protein Kinase C-Phorbol Ester Receptor on Polyacrylamide-immobilized Phosphatidylserine," The Journal of Biological Chemistry, 259(20):12311-12314, (1984)
- ✓ D74 Valverde et al., "Molecular cloning and characterization of protein kinase D: A target for diacylglycerol and phorbol esters with a distinctive catalytic domain," Proc. Natl. Acad. Sci. USA, 91:8572-8576, (1994)
- ✓ D75 von Melcher et al., "Selective disruption of genes expressed in totipotent embryonal stem cells," Genes and Development, 6:919-927, (1992)
- ✓ D76 Wafford et al., "Genetic Differences in the Ethanol Sensitivity of GABA<sub>A</sub> Receptors Expressed in *Xenopus* Oocytes," Science, 249:291-293, (1990)
- ✓ D77 Wafford et al., "Ethanol Sensitivity of the GABA<sub>A</sub> Receptor Expressed in *Xenopus* Oocytes Requires 8 Amino Acids Contained in the  $\gamma$ 2L Subunit," Neuron, 7:27-33, (1991)
- ✓ D78 Walton et al., "A Three-Step Purification Procedure for Protein Kinase C: Characterization of the Purified Enzyme," Analytical Biochemistry, 161:425-437, (1987)
- ✓ D79 Weiner et al., "Elevation of Basal Protein Kinase C Activity Increases Ethanol Sensitivity of GABA<sub>A</sub> Receptors in Rat Hippocampal CA1 Pyramidal Neurons," Journal of Neurochemistry, 68:1949-1959 (1997)

EXAMINER

RRS

DATE CONSIDERED

12/12/02

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

Page 5 of 5